



technology as simple  
as a smile



# Cables






technology as simple  
as a smile

white




black



white




black



# Cables

## USBC/USB-C

| SPECIFICATION: |              |
|----------------|--------------|
| Connectors:    | USB-C- USB-C |
| Current:       | max 3A       |
| Cable length:  | 1m           |
| Charging:      | yes          |
| Data transfer: | yes          |



USB-C/USB-C



USB-C/Lightning

3 A

max. current

## USBC/Lightning


| SPECIFICATION: |                  |
|----------------|------------------|
| Connectors:    | USB-C- Lightning |
| Current:       | max 3A           |
| Cable length:  | 1m               |
| Charging:      | yes              |
| Data transfer: | yes              |



charging and  
data transfer


1m

cable length





technology as simple  
as a smile



# Cables

## USB-A/USB-C

| SPECIFICATION: |               |
|----------------|---------------|
| Connectors:    | USB-A - USB-C |
| Current:       | max. 2A       |
| Cable length:  | 1,5m          |
| Charging:      | yes           |
| Data transfer: | yes           |

2 A  
max. current

1,5 m  
cable length

## USB-A/Lightning

| SPECIFICATION: |                   |
|----------------|-------------------|
| Connectors:    | USB-A - Lightning |
| Current:       | max. 2A           |
| Cable length:  | 1,5m              |
| Charging:      | yes               |
| Data transfer: | yes               |

USB-A/USB-C

reinforced joints


USB-A/Lightning

charging and  
data transfer





technology as simple  
as a smile



# Cables

## USBCUSB- C

| SPECIFICATION: |              |
|----------------|--------------|
| Connectors:    | USB-C- USB-C |
| Current:       | max. 2A      |
| Cable length:  | 1,5m         |
| Charging:      | yes          |
| Data transfer: | yes          |


2 A  
max. current

1,5 m  
cable length





technology as simple  
as a smile





# Cables

USB-A/USB-C and USB-A/micro USB and USB-A/

|           |                                                                      |
|-----------|----------------------------------------------------------------------|
| lightning | SPECIFICATION:                                                       |
|           | Connectors: USB-A - USB-C,<br>USB-A - microUSB,<br>USB-A - Lightning |
|           | Current: max. 1 A / max. 2 A / max. 3 A                              |
|           | Cable length: 1 m / 3 m                                              |
|           | Charging: yes                                                        |
|           | Data transfer: yes                                                   |

1m/3 m  
cable length





technology as simple  
as a smile

black



# Cables

3in1 cable USB-A/  
micro USB/USB-C/Lightning

| SPECIFICATION: |                                    |
|----------------|------------------------------------|
| Connectors:    | USB-A<br>micro USB/USB-C/Lightning |
| Current:       | max. 2A                            |
| Cable length:  | 1,2m                               |
| Charging:      | yes                                |
| Data transfer: | yes                                |

2 A  
max. current

1,2 m  
cable length



charging and  
data transfer

⚡ x 3

charging 3 devices  
simultaneously





technology as simple  
as a smile



## Cables

3in1 cable USB-A  
micro USB/USB-C/Lightning


| SPECIFICATION: |                                    |
|----------------|------------------------------------|
| Connectors:    | USB-A<br>micro USB/USB-C/Lightning |
| Current:       | max. 2A                            |
| Cable length:  | 1m                                 |
| Charging:      | yes                                |
| Data transfer: | yes                                |

2 A  
max. current

1m  
cable length



charging and  
data transfer





technology as simple  
as a smile

black



# Cables


## Magnetic cable

| SPECIFICATION: |                                    |
|----------------|------------------------------------|
| Connectors:    | USB-A<br>micro USB/USB-C/Lightning |
| Current:       | max. 2A                            |
| Cable length:  | 1m                                 |
| Charging:      | yes                                |
| Data transfer: | yes                                |

2 A  
max. current

1m  
cable length

  
3 magnetic  
connectors  
in the set






# Power banks







technology as simple  
as a smile



## Power banks

Power bank  
2 600 mAh

| SPECIFICATION:    |                |
|-------------------|----------------|
| Battery capacity: | 2 600mAh       |
| Battery type:     | lithium-ion    |
| Input voltage:    | 5V ∓ 1A        |
| Output voltage:   | 5V ∓ 1A        |
| Input:            | microUSB       |
| Output:           | USB-A          |
| Charging time:    | 3-4 hours      |
| In the set:       | microUSB cable |





technology as simple  
as a smile



# Power banks

## Power bank 5 000 mAh

| SPECIFICATION:             |                 |
|----------------------------|-----------------|
| Battery capacity:          | 5000mAh         |
| Battery type:              | lithium-polymer |
| Input voltage:             | 5V ~ 2A         |
| Output voltage:            | 5V ~ 2A         |
| Input:                     | USB-C+ microUSB |
| Output:                    | USB-Ax2         |
| Charging time:             | 4hours          |
| In the set: microUSB cable |                 |



dual USB-A  
output x2A




microUSB, USB-C  
input



over discharge  
protection



overheating  
protection



microUSB cable  
included



LED indicators

## Power bank 10 000 mAh

| SPECIFICATION:             |                 |
|----------------------------|-----------------|
| Battery capacity:          | 10000mAh        |
| Battery type:              | lithium-polymer |
| Input voltage:             | 5V ~ 2A         |
| Output voltage:            | 5V ~ 2A         |
| Input:                     | USB-C+ microUSB |
| Output:                    | USB-Ax2         |
| Charging time:             | 4hours          |
| In the set: microUSB cable |                 |





technology as simple  
as a smile



# Power banks

Power bank  
20 000  
mAh

| SPECIFICATION:             |                 |
|----------------------------|-----------------|
| Battery capacity:          | 20 000mAh       |
| Battery type:              | lithium-polymer |
| Input voltage:             | 5V ~ 2A         |
| Output voltage:            | 5V ~ 2A         |
| Input: USB-C+ microUSB     |                 |
| Output: USB-Ax2            |                 |
| Charging time: 8hours      |                 |
| In the set: microUSB cable |                 |



dual USB-A  
output x2A




microUSB, USB-C  
input



over discharge  
protection




overheating  
protection



microUSB cable  
included



LED indicators





technology as simple  
as a smile



# Power banks

## Power bank 5 000 mAh with LCD display

| SPECIFICATION:             |                 |
|----------------------------|-----------------|
| Battery capacity:          | 5000mAh         |
| Battery type:              | lithium-polymer |
| Input voltage:             | 5V ~ 2A         |
| Output voltage:            | 5V ~ 2A         |
| Input:                     | USB-C+ microUSB |
| Output:                    | USB-Ax2         |
| Charging time:             | 4hours          |
| In the set: microUSB cable |                 |



dual USB-A  
output x2A




microUSB, USB-C  
input



over discharge  
protection



overheating  
protection




microUSB cable  
included



LCD display

## Power bank 10 000 mAh with LCD display

| SPECIFICATION:             |                 |
|----------------------------|-----------------|
| Battery capacity:          | 10000mAh        |
| Battery type:              | lithium-polymer |
| Input voltage:             | 5V ~ 2A         |
| Output voltage:            | 5V ~ 2A         |
| Input:                     | USB-C+ microUSB |
| Output:                    | USB-Ax2         |
| Charging time:             | 4hours          |
| In the set: microUSB cable |                 |






technology as simple  
as a smile



# Power banks

## Solar power bank 5 000 mAh

| SPECIFICATION:                        |             |
|---------------------------------------|-------------|
| Battery capacity:                     | 5 000mAh    |
| Battery type:                         | lithium-ion |
| Input voltage:                        | 5V ~ 1A     |
| Output voltage:                       | 5V ~ 1A     |
| Input:                                | microUSB    |
| Output:                               | USB-Ax2     |
| IP protection level:                  | IP66        |
| Max. Solar charging:                  | 100mAh      |
| Charging time:                        | 6 hours     |
| In the set: microUSB cable, snap hook |             |



microUSB cable  
included



dual USB-A  
output x2A




LED torch




waterproof  
IP66



microUSB



solar panel





technology as simple  
as a smile


black



# Power banks

Solar power bank  
10000 mAh  
SJR-100

| SPECIFICATION:       |                                   |
|----------------------|-----------------------------------|
| Capacity:            | 10000mAh                          |
| Battery type:        | lithium-polymer                   |
| Input voltage:       | 5V --- max. 2,1A                  |
| Output voltage:      | 5V --- max. 2,1A                  |
| Inputs:              | USB-C+ microUSB                   |
| Output:              | USB-A                             |
| Built-in cables:     | USB-A, USB-C, microUSB, Lightning |
| Charging indicator:  | LED display                       |
| Charging time:       | around 5 hours/<br>ok. 5godzin    |
| Max. solar charging: | 400mAh                            |



4 built-in  
cables




microUSB, USB-C  
input




LED torch



LED display



solar panel






# Chargers





technology as simple  
as a smile





# Chargers

## Wireless charger 10 W

| SPECIFICATION:                 |                              |
|--------------------------------|------------------------------|
| Input voltage:                 | 5V= 2A; 9V= 2A               |
| Output voltage:                | 5V= 1A, 9V= 1A,<br>9V= 1.66A |
| Power:                         | 5W/7.5W/10W                  |
| Inductive charging efficiency: | ~ 75%                        |
| Wireless charging distance:    | ≤ 5mm                        |
| Input:                         | microUSB                     |
| Cable in the set: microUSB, 1m |                              |

10 W  
power





technology as simple  
as a smile



# Chargers

Wall charger  
1x USB

| SPECIFICATION:  |             |
|-----------------|-------------|
| Input voltage:  | 100- 240V ~ |
| Output voltage: | 5V ~        |
| Current:        | max 1A      |
| Output:         | 1x USB-A    |

1A  
max. current



USB-A output





technology as simple  
as a smile



## Chargers

Wall charger  
1x USB

| SPECIFICATION:  |             |
|-----------------|-------------|
| Input voltage:  | 100- 240V ~ |
| Output voltage: | 5V ~        |
| Current:        | max 2,4A    |
| Output:         | 1x USB-A    |

2,4 A  
max. current



USB-A output





technology as simple  
as a smile



# Chargers


Wall charger  
1x USB

| SPECIFICATION:  |             |
|-----------------|-------------|
| Input voltage:  | 100- 240V ~ |
| Output voltage: | 5V ~        |
| Current:        | max 3A      |
| Output:         | USB-A       |

3 A  
max. current



USB-A output





technology as simple  
as a smile

black



# Chargers

Wall charger  
2x USB

SPECIFICATION:

Input voltage: 100-240V~

Output voltage: 5V~

Current: max 2,4A

Output: 2xUSB-A

2,4 A  
max. current



USB-A output





technology as simple  
as a smile



# Chargers


Wall charger  
2x USB

| SPECIFICATION:  |             |
|-----------------|-------------|
| Input voltage:  | 100- 240V ~ |
| Output voltage: | 5V ~        |
| Current:        | max 3A      |
| Output:         | 2x USB-A    |

3 A  
max. current



2x USB-A output





technology as simple  
as a smile



# Chargers

Wall charger

USB + USB-C

| C | SPECIFICATION:                                                                                         |
|---|--------------------------------------------------------------------------------------------------------|
|   | Power: 20W                                                                                             |
|   | Input voltage: 100 - 240V ~                                                                            |
|   | Output voltage: PD port USB-C: 3.0; 5V3A/<br>9V2,22A/12V1,67A port<br>USB-A: 5V3A/9V2,22A/<br>12V1,67A |
|   | Current: max. 3A                                                                                       |
|   | Output: 1xUSB-A+ 1xUSB-C                                                                               |

3 A  
max. current

20 W  
power



USB-A output,  
USB-C output





technology as simple  
as a smile

black



# Chargers

Car charger  
1x USB

| SPECIFICATION:                         |            |
|----------------------------------------|------------|
| Input voltage:                         | 12 - 24V ~ |
| Output voltage:                        | 5V ~       |
| Current: max. 1A/max. 2,4A/<br>max. 3A |            |
| Output:                                | 1x USB-A   |

3 A  
max. current



USB-A output





technology as simple  
as a smile

black



## Chargers

Car charger  
2x USB

| SPECIFICATION:                           |
|------------------------------------------|
| Input voltage: 12 - 24V ~                |
| Output voltage: 5V ~                     |
| Current: max. 1,4A/max. 2,4A/<br>max. 3A |
| Output: 2x USB-A                         |

1,4 A - 3 A

max. current



2x USB-A output





technology as simple  
as a smile

black



## Chargers

Car charger

1x USB + 1x

USBC

SPECIFICATION:

Input voltage: 12 - 24V ~

Output voltage: 5V ~

Current: max 2,4A

Output: 1xUSB-A+ 1xUSB-C

2,4 A  
max. current



USB-A output,  
USB-C output





# Car accessories








technology as simple  
as a smile



# Transmitters

FM transmitter  
FM-01

| SPECIFICATION:             |                   |
|----------------------------|-------------------|
| Input voltage:             | 5V ~              |
| Charging socket:           | microUSB          |
| Connector:                 | audio jack 3,5 mm |
| Power supply:              | built-in battery  |
| Battery capacity:          | 300mAh            |
| Frequency range:           | 87,5 - 108MHz     |
| In the set: microUSB cable |                   |





technology as simple  
as a smile



# Transmitters

## İM transmitter

| SPECIFICATION:         |                                                |
|------------------------|------------------------------------------------|
| Input voltage:         | 12- 24V ~                                      |
| Power supply:          | car lighter socket                             |
| Music source inputs:   | microSD card slot, mini SD card slot, USB, AUX |
| FM transmission range: | up to 10m                                      |
| Frequency range:       | 87,5- 108MHz                                   |
| In the set:            | remote control                                 |



remote control



USB-A output,  
USB-C output



support: AUX, microSD card slot,  
mini SD card slot, USB



LCD display





technology as simple  
as a smile



# Transmitters

## Bluetooth IM transmitter

| SPECIFICATION:            |                                 |
|---------------------------|---------------------------------|
| Input voltage:            | 12-24V ~                        |
| Power supply:             | car lighter socket              |
| Bluetooth:                | 4.0                             |
| Bluetooth range:          | 5m                              |
| Music source inputs:      | AUX, micro SD card slot,<br>USB |
| Frequency range:          | 87,5-108MHz                     |
| Built-in microphone:      | yes                             |
| Microphone working range: | up to 2m                        |
| FM transmission range:    | up to 128,5mm cable             |




remote control



built-in  
microphone



LCD display



support: AUX, micro SD card slot,  
mini SD card slot, USB





technology as simple  
as a smile

black



# Transmitters

Diglook FM transmitter  
FM-02


| SPECIFICATION:         |                                |
|------------------------|--------------------------------|
| Input voltage:         | 12 - 24V ~                     |
| Power supply:          | car lighter socket             |
| Built-in charger:      | max. 2,1 A                     |
| Bluetooth:             | 5.0                            |
| Bluetooth range:       | 5m                             |
| Music source inputs:   | AUX, microSD card slot,<br>USB |
| Frequency range:       | 87,5 - 108MHz                  |
| Microphone range:      | up to 2m                       |
| FM transmission range: | up to 10m                      |
| In the set:            | audio jack 3,5mm cable         |

2,1 A  
max. current

  
built-in  
microphone

  
Bluetooth

  
support: AUX, microSD card slot,  
mini SD card slot, USB





technology as simple  
as a smile

black



# Transmitters

## Diglook FM transmitter FM-03

| SPECIFICATION:                     |                             |
|------------------------------------|-----------------------------|
| Input voltage:                     | 12-24V                      |
| Power supply:                      | car lighter socket          |
| Built-in charger:                  | max 3.1A                    |
| Bluetooth:                         | 5.1                         |
| Bluetooth range:                   | 5m                          |
| Music source inputs:               | AUX, microSD card slot, USB |
| Built-in microphone:               | 92.5-108MHz                 |
| Microphone working range:          | up to 2m                    |
| FM transmission range:             | up to 10m                   |
| In the set: audio jack 3,5mm cable |                             |




LCD display




built-in  
microphone



Bluetooth 5.1



support: AUX, microSD card slot,  
mini SD card slot, USB





technology as simple  
as a smile




## Bluetooth earphones

Bluetooth earphones  
SDH-01

### SPECIFICATION:

|                                      |
|--------------------------------------|
| Input voltage: 5V ~                  |
| Charging input: micro USB            |
| Bluetooth version: 4.0               |
| Bluetooth range: 10m                 |
| Talking time: up to 4 hours          |
| Standby time: up to 240 hours        |
| Charging time: around 1,5 hour       |
| Volume control: yes                  |
| Multifunctional button: yes          |
| In the set: micro USB cable, earhook |



micro USB cable  
included




talking  
time: 4h



Bluetooth 4.0

240 h  
standby time





technology as simple  
as a smile

black



# Car socket splitters

## Car lighter socket splitter RGS01

| SPECIFICATION:        |            |
|-----------------------|------------|
| Input voltage:        | 12 - 24V ~ |
| Output voltage        |            |
| (car lighter socket): | 12 - 24V ~ |
| Car lighter sockets:  | 1          |
| USB ports:            | 2          |
| Current: max. 2A      |            |

2 A  
current



2x USB-A output



1 car lighter  
socket





technology as simple  
as a smile

black



# Car socket splitters

## Car lighter socket splitter RGS03

| SPECIFICATION:        |            |
|-----------------------|------------|
| Input voltage:        | 12 - 24V ~ |
| Output voltage        |            |
| (car lighter socket): | 12 - 24V ~ |
| Car lighter sockets:  | 3          |
| USB ports:            | 1          |
| Current:              | max. 1A    |
| Built-in cable:       | 60cm       |

60 cm  
built-in cable




USB-A output

3x   
car lighter  
socket







technology as simple  
as a smile



## Car holders

### Universal car holder U16

| SPECIFICATION: |                      |
|----------------|----------------------|
| Armsrange:     | 5,5-8,5cm            |
| Armlength:     | 10cm                 |
| Mountingway:   | windshield/dashboard |
| Rotation:      | 360°                 |
| Anglechange:   | yes                  |





technology as simple  
as a smile




black



# Car holders

## Universal car holder İlGx

| SPECIFICATION: |                      |
|----------------|----------------------|
| Armsrange:     | 4- 11cm              |
| Armlength:     | 16cm                 |
| Mountingway:   | windshield/dashboard |
| Rotation:      | 360°                 |
| Anglechange:   | yes                  |





technology as simple  
as a smile



## Car holders

### Universal car holder İroggy

SPECIFICATION:

Armsrange: up to 9cm

Mountingway: windshield/dashboard


Rotation: 360°

Anglechange: yes

360°  
rotation



easy  
angle change



universal size



up to 9cm  
armsrange





technology as simple  
as a smile

black



# Car holders

Universal car holder  
Hoggy on the long  
leg

| SPECIFICATION: |                      |
|----------------|----------------------|
| Armsrange:     | upto 11,5cmarmsrange |
| Armlength:     | 20cm                 |
| Mountingway:   | windshield/dashboard |
| Rotation:      | 360°                 |
| Anglechange:   | yes                  |

360°  
rotation

easy  
angle change

20cm  
arch length

upto 11,5cm  
armsrange





technology as simple  
as a smile



## Car holders

### Magnetic holder MUS02

#### SPECIFICATION:

|                            |                         |
|----------------------------|-------------------------|
| Mounting way:              | dashboard - with 3mtape |
| Number of joints:          | 2                       |
| Metal stickers in the set: | 2                       |
| Rotation:                  | 360°                    |
| Angle change:              | yes                     |

360°  
rotation

easy  
angle change

3m adhesive  
tape

2x   
2 metal stickers  
in the set





technology as simple  
as a smile



## Car holders

Magnetic car holder  
for truck air vent

SPECIFICATION:

Mounting way: air vent grid

Metal stickers in the set: 2

Rotation: 360°

Angle change: yes

360°  
rotation

easy  
angle change

air vent grid  
montage

2x   
2 metal stickers  
in the set





technology as simple  
as a smile



## Car holders

### Gravity car holder GUS01

---

SPECIFICATION:


---

Armsrange: 65-85mm


---

Mountingway: airventgrid


---




universal size



65-85mm  
armsrange



airventgrid  
montage








technology as simple  
as a smile



## Car holders

### Car holder for tKG air vent

| SPECIFICATION:             |
|----------------------------|
| Armsrange: 51-85mm         |
| Mountingway: air vent grid |
| Rotation: 360°             |
| Anglechange: yes           |





technology as simple  
as a smile



## Car holders

Car holder  
for tkG air vent  
US01

SPECIFICATION:

Armsrange: 65-85mm

Mounting way: air vent grid


Rotation: 360°

Angle change: yes

360°  
rotation




easy  
angle change



air vent grid  
montage



65-85mm  
armsrange





technology as simple  
as a smile

black



# Car holders

Inductive car holder  
IUS01


| SPECIFICATION:                                        |                                          |
|-------------------------------------------------------|------------------------------------------|
| Armsrange:                                            | 6,5-8,7 cm                               |
| Mounting way:                                         | air vent grid/dashboard<br>(with 3mtape) |
| Rotation:                                             | 360°                                     |
| Power:                                                | 10W                                      |
| Input:                                                | 5V2A/9V1,6A                              |
| Output:                                               | 5V1A/9V1,2A                              |
| Inductive charging efficiency:                        | >72 %                                    |
| In the set:                                           |                                          |
| holder, micro USB cable,<br>2 different mounting tips |                                          |

10 W  
power

  
easy  
angle change

  
2 methods  
of mounting

  
65-87 mm  
armsrange





# Bike accessories





technology as simple  
as a smile



## Bike holders

Dikg holder  
UR01

SPECIFICATION:

Matches phones  
with diagonal: 12,5 - 20cm

Rotation: 360°

Possibility to mount on the  
pipe with a diameter: 21 - 35mm


360°  
rotation



easy  
angle change



12,5 - 20cm  
range of arms





technology as simple  
as a smile

black



# Bike holders

Silicone bike holder  
UR02

|                                       |
|---------------------------------------|
| SPECIFICATION:                        |
| Rotation: 360°                        |
| Material: strong and elastic silicone |





technology as simple  
as a smile



black



# Bike holders


## Waterproof bike holder UR03

| SPECIFICATION:                                                |  |
|---------------------------------------------------------------|--|
| Size of a space for a phone: L: 8,5- 15cm/<br>XL: 9,2- 16,8cm |  |
| Window diagonal: L: 5,6"/XL: 6,5"                             |  |
| Rotation: 360°                                                |  |
| Possibility to mount on the<br>pipe with a diameter: 14- 26mm |  |





# Mobile accessories





technology as simple  
as a smile



# Selfie sticks

## Mini selfie stick

### SPECIFICATION:

|                                |
|--------------------------------|
| Way of connecting              |
| with a phone: 3,5mm audio jack |
| Holder arms range: 55-90mm     |
| Arm length: 14-61cm            |
| Maximum load: 500g             |



3,5mm  
audio jack




pocket size



55-90mm  
range of arms



14-61 cm  
arm length





technology as simple  
as a smile



# Selfie sticks

## Selfie stick with a tripod

| SPECIFICATION:                     |                         |
|------------------------------------|-------------------------|
| Way of connecting                  | with a phone: Bluetooth |
| Bluetooth: 3.0                     |                         |
| Holder arms range:                 | 64-90mm                 |
| Arm length:                        | 15-60cm                 |
| Vertical tilt:                     | 90°                     |
| Holder rotation:                   | 360°                    |
| Power supply:                      | 1x CR1632 battery       |
| In the set: remote control, hanger |                         |



Bluetooth 3.0



15-60cm  
arm length




remote control  
in the set




64-90mm  
holder range



tripod function



rotatable phone  
holder





technology as simple  
as a smile



# Selfie sticks

## Selfie stick with a tripod SDS1-02

| SPECIFICATION:            |                         |
|---------------------------|-------------------------|
| Way of connecting         | with a phone: Bluetooth |
|                           | Bluetooth: 5.0          |
| Holder arms range:        | 60-95 mm                |
| Length (as selfie stick): | 27-67 cm                |
| Height (as tripod):       | 23-63 cm                |
| Vertical tilt:            | 90°                     |
| Holder rotation:          | 360°                    |
| Power supply:             | 1x CR1632 battery       |
| In the set:               | remote control          |



Bluetooth 3.0



27-67 cm  
arm length




remote control  
in the set



60-95 mm  
holder range



tripod function



rotatable phone  
holder





# Music






technology as simple  
as a smile




# Headphones

## Wired headphones

| SPECIFICATION:         |                       |
|------------------------|-----------------------|
| Connector:             | audio jack 3,5 mm     |
| Cable length:          | 1,1 m                 |
| Impedance:             | 32Ω                   |
| Frequency range:       | 20 Hz - 20 kHz        |
| Sound intensity level: | 100 dB (1 kHz/1 Vrms) |
| Built-in microphone:   | yes                   |
| Size adjustment:       | yes                   |






1,1 m  
cable length






technology as simple  
as a smile



# Headphones

## Wired Earphones

| SPECIFICATION:         |                       |
|------------------------|-----------------------|
| Connector:             | audio jack 3,5 mm     |
| Cable length:          | 1,1 m                 |
| Impedance:             | 32Ω                   |
| Frequency range:       | 20 Hz - 20 kHz        |
| Sound intensity level: | 100 dB (1 kHz/1 Vrms) |



1,1 m  
cable length





technology as simple  
as a smile

white



black



# Headphones


Wired  
earphones with  
microphone

SPECIFICATION:


|                         |                       |
|-------------------------|-----------------------|
| Connector:              | audio jack 3,5 mm     |
| Cable length:           | 1,1 m                 |
| Impedance:              | 16 - 32Ω              |
| Frequency range:        | 20 Hz - 20 kHz        |
| Sound intensity level:  | 100 dB (1 kHz/1 Vrms) |
| Built-in microphone:    | yes                   |
| Volume control:         | yes                   |
| Multifunctional button: | yes                   |
| In the set:             | 2 sets of eartips     |



built-in  
microphone



volume control



multifunctional  
button

1,1 m  
cable length





technology as simple  
as a smile

white



black



green




blue




# Headphones

## Wired Sport Earbuds

| SPECIFICATION:          |                       |
|-------------------------|-----------------------|
| Connector:              | audio jack 3,5 mm     |
| Cable length:           | 1,2 m                 |
| Impedance:              | 16 - 32Ω              |
| Frequency range:        | 20 Hz - 20 kHz        |
| Sound intensity level:  | 100 dB (1 kHz/1 Vrms) |
| Built-in microphone:    | yes                   |
| Multifunctional button: | yes                   |




built-in  
microphone



volume control



3,5 mm  
audio jack



multifunctional  
button

1,2 m  
cable length





technology as simple  
as a smile

black



blue



red



# Headphone

S  
D1>Glook Sport  
earbuds

| SPECIFICATION:             |                |
|----------------------------|----------------|
| BT version:                | 5.0            |
| BT range:                  | 5m             |
| Battery capacity:          | 55mAh          |
| Music playing time:        | up to 3 hours  |
| Charging time:             | around 2 hours |
| Impedance:                 | 32Ω            |
| Frequency range:           | 20Hz- 20kHz    |
| Sensitivity:               | 42dB +/- 3dB   |
| Built-in microphone:       | yes            |
| Volume control:            | yes            |
| Multifunctional button:    | yes            |
| Charging socket:           | microUSB       |
| In the set: microUSB cable |                |





technology as simple  
as a smile

white



# Headphone

S  
IW3 Garykongs  
ECA01

| SPECIFICATION:                           |
|------------------------------------------|
| BT version: 5.0                          |
| BT range: 10m                            |
| Input voltage: 5V~ 1A                    |
| Battery capacity (earphones): 40mAh      |
| Battery capacity (charging case): 350mAh |
| Music playing time: up to 3 hours        |
| Charging time: around 1 hour             |
| Standby time: up to 120 hours            |
| Frequency range: 20Hz- 20kHz             |
| Built-in microphone: yes                 |
| Volume control: yes                      |
| Multifunctional button: yes              |
| Charging socket: microUSB                |
| In the set: microUSB cable               |





technology as simple  
as a smile



# Headphone

S  
IW3 Garykongs  
IW3/IW3

| SPECIFICATION:                    |                |
|-----------------------------------|----------------|
| BT version:                       | 5.0            |
| BT range:                         | 10m            |
| Input voltage:                    | 5V ~ 1A        |
| Battery capacity (earphones):     | 30mAh          |
| Battery capacity (charging case): | 300mAh         |
| Music playing time:               | up to 4 hours  |
| Charging time:                    | around 2 hours |
| Frequency range:                  | 20Hz - 20kHz   |
| Built-in microphone:              | yes            |
| Volume control:                   | yes            |
| Touch control:                    | yes            |
| Charging socket:                  | USB-C          |
| In the set:                       | USB-C cable    |



touch control



Bluetooth 5.0




built-in  
microphone



charging case  
in the set



LED indicators





technology as simple  
as a smile

black



# Headphone

S  
D>Glook  
kGadykongs

| SPECIFICATION:                                                          |
|-------------------------------------------------------------------------|
| BT version: 5.0                                                         |
| BT range: 10m                                                           |
| Input voltage: 5V~ 1A                                                   |
| Battery capacity: 150mAh                                                |
| Music playing time: up to 4 hours                                       |
| Frequency range: 20Hz- 20kHz                                            |
| Built-in microphone: yes                                                |
| Built-in FM radio: yes                                                  |
| Volume control: yes                                                     |
| Next/previous track, play /<br>pause, answer /<br>end call buttons: yes |
| Inputs: micro USB, AUX                                                  |
| Micro SD cards input: yes                                               |
| In the set: micro USB cable                                             |



built-in FM radio




Bluetooth 5.0




built-in  
microphone



micro SD slot



volume control






technology as simple  
as a smile


white



black



red



blue



## Speakers

DL>Glook syGakr  
J>nior

### SPECIFICATION:

Power: 3W

Music playing time: up to 4 hours

Charging time: around 3 hours

BT range: 10m

Impedance: 4Ω

Signal noise ratio (SNR): ≥ 95dB

In the set: AUX cable, micro USB cable

Charging input: micro USB

Music source inputs: AUX, micro SD card slot

Built-in microphone: yes




microSD, microUSB,  
AUX player



built-in  
microphone

3 W  
power





technology as simple  
as a smile



# Speakers

3yGakGr  
Mİ-100

| SPECIFICATION:                        |                             |
|---------------------------------------|-----------------------------|
| Power:                                | 3W                          |
| Music playing time:                   | up to 5 hours               |
| Charging time:                        | around 2 hours              |
| Signal noise ratio (SNR):             | ≥ 85 dB                     |
| In the set: AUX cable, mini USB cable |                             |
| Charging input:                       | mini USB                    |
| Music source inputs:                  | AUX, microSD card slot, USB |
| Radio frequency:                      | 53-1800 Hz                  |
| Battery:                              | 250 mAh, lithium-ion        |
| Speaker serial connection:            | yes                         |



speakers can be  
connected



Bluetooth 5.0

3 W  
power





technology as simple  
as a smile

black



# Speakers

Bluetooth speaker  
Mirror clock GD-200


| SPECIFICATION:                         |                            |
|----------------------------------------|----------------------------|
| Power:                                 | 3W                         |
| Music playing time:                    | up to 5 hours              |
| Charging time:                         | around 3 hours             |
| BT range:                              | 10m                        |
| BT version:                            | 5.0                        |
| Impedance:                             | 4Ω                         |
| Signal noise ratio (SNR):              | ≥ 70dB                     |
| In the set: AUX cable, micro USB cable |                            |
| Charging input:                        | micro USB                  |
| Music source inputs:                   | AUX, microSD card slot     |
| Built-in microphone:                   | yes                        |
| Battery capacity:                      | 1200mAh                    |
| Alarm clock:                           | yes - possibility to set 2 |




Bluetooth 5.0




double alarm



big LCD  
screen



microSD,  
AUX player





technology as simple  
as a smile



# Speakers

DL>Glook syGakG  
GD400

| SPECIFICATION:            |                                    |
|---------------------------|------------------------------------|
| Power:                    | 3W                                 |
| Music playing time:       | up to 6 hours                      |
| Signal noise ratio (SNR): | ≥ 65 dB                            |
| Charging input:           | micro USB                          |
| Music source inputs:      | AUX, microSD card slot, USB        |
| BT range:                 | 10m                                |
| BT version:               | 5.0                                |
| Built-in microphone:      | yes                                |
| Radio frequency:          | 150Hz - 20kHz                      |
| Battery:                  | 1200mAh                            |
| In the set:               | AUX cable, micro USB cable, hanger |



built-in FM radio



Bluetooth 5.0



built-in microphone



microSD, USB, AUX player

3 W

power





technology as simple  
as a smile

black



# Speakers

DJ-Gloob syGakr  
GD500

| SPECIFICATION:                         |                                |
|----------------------------------------|--------------------------------|
| Power:                                 | 3W                             |
| Music playing time:                    | up to 6 hours                  |
| Signal noise ratio (SNR):              | ≥ 65dB                         |
| Charging input:                        | microUSB                       |
| Music source inputs:                   | AUX, microSD card slot,<br>USB |
| BT range:                              | 10m                            |
| BT version:                            | 5.0                            |
| Built-in microphone:                   | yes                            |
| Built-in radio:                        | yes                            |
| Radio frequency:                       | 150Hz- 20kHz                   |
| Battery:                               | 1200mAh                        |
| In the set: AUX cable, micro USB cable |                                |



built-in FM radio



Bluetooth 5.0




built-in  
microphone



microSD, USB,  
AUX player

3 W  
power





technology as simple  
as a smile

walrus



army



autumn



# Speakers

Waterproof Bluetooth  
speaker with a suction cup

| SPECIFICATION:            |                |
|---------------------------|----------------|
| Power:                    | 3W             |
| Music playing time:       | up to 3 hours  |
| Signal noise ratio (SNR): | ≥ 75dB         |
| BT range:                 | 10m            |
| BT version:               | 5.0            |
| Built-in microphone:      | yes            |
| Battery:                  | 300mAh         |
| In the set:               | charging cable |
| IP protection level:      | IPX4           |
| Suction cup:              | yes            |



built-in  
microphone




waterproof  
IP66



Bluetooth 5.0



3 W  
power





technology as simple  
as a smile



## Speakers

DJ Glook M-skroom  
syGakGr

| SPECIFICATION:       |                 |
|----------------------|-----------------|
| Power:               | 3W              |
| Music playing time:  | up to 3 hours   |
| BT range:            | 10m             |
| BT version:          | 5.0             |
| Built-in microphone: | yes             |
| Battery:             | 280mAh          |
| In the set:          | micro USB cable |
| Suction cup:         | yes             |
| IP protection level: | IPX4            |
| Suction cup:         | yes             |



suction cup



built-in  
microphone




phone stand  
function



Bluetooth 5.0

3 W  
power





technology as simple  
as a smile



# Adaptery

Adaptery  
USB-C to audio jack 3,5  
mm

SPECIFICATION:

Adapter connectors: USB-C to audio jack 3,5 mm

Length: 12 cm

12 cm  
cable length



USB-C



3,5mm  
audio jack





technology as simple  
as a smile

silver



# Adaptery

Adaptery  
Lightning to audio jack 3,5  
mm

| SPECIFICATION:      |                               |
|---------------------|-------------------------------|
| Adapter connectors: | Lightning to audio jack 3,5mm |
| Length: 12cm        |                               |


12 cm  
cable length



Lightning



3,5mm  
audio jack





technology as simple  
as a smile



# Music

## MP3 player

| SPECIFICATION:                                                                          |             |
|-----------------------------------------------------------------------------------------|-------------|
| MicroSD cards support:                                                                  | up to 32 GB |
| Battery capacity:                                                                       | 90mAh       |
| Music playing time:                                                                     | up to 3h    |
| Input voltage:                                                                          | 5V ~ 1A     |
| In the set: In the set: mini USB cable,<br>earphones with 3,5mm<br>audio jack connector |             |
| LCD display:                                                                            | yes         |





# Home office





technology as simple  
as a smile

7 colors



# Clocks

## Alarm clock

| SPECIFICATION:     |                                     |
|--------------------|-------------------------------------|
| Powersupply:       | 3xAAA battery                       |
| Backlight colours: | 7                                   |
| Alarm melodies:    | 8                                   |
| Functions:         | clock, alarm, calendar, thermometer |




backlight  
in 7 colors



alarm clock



8 wake-up  
melodies



temperature





technology as simple  
as a smile



## Home office

### Web camera

#### SPECIFICATION:

Lens: HD480P

Resolution: 640x480

Plug&play: Yes

Built-in microphone: Yes


Cable length: 1,4m

Connectors: 3,5mm audio jack,  
USB

1,4 m  
cable length




built-in  
microphone



3,5mm  
audio jack



plug & play





technology as simple  
as a smile

black




# Home office

Mo»sgyad  
with wrist s»yyort


| SPECIFICATION:     |
|--------------------|
| Size: 23x18cm      |
| Wrist support: yes |



wrist support



size: 23x18cm





technology as simple  
as a smile



# Headphone

S  
Hadykongs  
with microykonG

| SPECIFICATION:         |                                  |
|------------------------|----------------------------------|
| Connector:             | 3,5 mm audio jack                |
| Built-in microphone:   | yes                              |
| Cable length:          | 1,5 m                            |
| Impedance:             | 32 Ω                             |
| Frequency range:       | 20 Hz - 20 kHz                   |
| Sound intensity level: | 100 dB (1 kHz/1 Vrms)            |
| Volume control:        | yes                              |
| In the set:            | audio jack connector<br>splitter |
| Charging port:         | micro USB                        |



jack splitter  
in the set



built-in  
microphone



3,5 mm  
audio jack





technology as simple  
as a smile

white



black



# Home office

## Wireless mouse SG

| SPECIFICATION:    |                                 |
|-------------------|---------------------------------|
| Powersupply:      | built-in battery                |
| Battery capacity: | 500mAh                          |
| Charging port:    | microUSB                        |
| Connection:       | radio 2.4GHz                    |
| In the set:       | USB receiver,<br>microUSB cable |
| Working range:    | 10m                             |
| DPI:              | 800-1200-1600                   |

